


Casework Glass MDF-framed Fronts

Tech Sheet





COMPONENTS + MATERIALS

DOOR/DRAWER FRAME FINISH OPTIONS

Thermofoil option

Front, side edges	Thermofoil
Back	Black or white low-pressure laminate (LPL)

ChromacoatPlus option

Entire frame	ChromacoatPlus
--------------	----------------

Veneer option

Entire frame	Veneer
--------------	--------

Refer to [Standard Finishes](#) for more information.

NOTE: Currently not available in high-pressure laminate (HPL) finish.

DOOR/DRAWER GLASS OPTIONS

Clear glass

[Etched glass](#)

NOTE: Tempered glass inserts will not have a temper stamp unless requested by the Partner. See the [MDF Framed Glass Doors](#) DIRTT Solution Support article for information on how to request temper stamps. Additional details on glass MDF-framed fronts and how to specify the solution in Design Editor (ICE®) can also be found in the article.

DRAWER HARDWARE OPTIONS

[DIRTT Standard Casework Pulls](#)

[Touch Open Manual](#)

[Touch Open Servo Drive](#) (restrictions may apply)

DIMENSIONS + DETAILS

MEDIUM-DENSITY FIBERBOARD (MDF) FRAME

Refer to the Cutouts in Doors section of the [Casework Cutout Design and Order Guide](#) for the minimum dimensions of the MDF frame.

NOTE: The height of the MDF frame is dependent on the design.


DOOR/DRAWER GLASS SIZE

Clear glass	¼" (6mm)
Etched glass	¼" (6mm)

DOOR


Minimum (Min.) door width	10 ¼" (261mm)
Maximum (Max.) door width	24" (609mm)
Min. door height	12" (305mm)
Max. door height	96" (2.44m)
Door depth	¾" (19mm)

NOTE: Doors must be taller than they are wide.



DRAWER

Min. drawer front width	10 ¼" (261mm)
Max. drawer front width	36" (914mm)
Min. drawer front height	12" (305mm)
Max. drawer front height	36" (914mm)
Drawer front depth	¾" (19mm)





Veneer MDF and glass MDF-framed doors.



Thermofoil glass MDF-framed doors with etched glass.



Thermofoil glass MDF-framed doors with etched glass.