




Back-to-Back Slim Bar Pull

Tech Sheet





COMPONENTS + MATERIALS

BAR PULL ASSEMBLY MATERIALS

SUS304 Stainless-steel handle assembly contents:

- SUS304 stainless-steel handle (QTY 2)
- Black nylon rosette—35mm diameter (QTY 4)
- SUS304 stainless-steel decorative bottom (QTY 4)
- Upper/Lower threaded stud (QTY 6)
 - SUS304 M8* 45mm, 63mm and 76mm (QTY 2 each)
- Upper/Lower collar (QTY 2)
- M5*5 SUS304 stainless-steel, fixed-set Allen screws (QTY 2)
- Zinc-plated steel hex wrench

BAR PULL FINISH OPTIONS

Stainless steel is standard finish

- Comparable finish of BHMA 630/US32D/C32D
- Stainless-steel finish available in ICE for 12", 30" and 72" bar pulls

Powder coat is optional finish

- Colors available in ICE for 12", 30" and 72" bar pulls

Custom powder-coat finishes available

NOTE: Powder coat can only be applied to non-locking bar pulls or non-moving parts. DIRTT also recommends having a textured finish and avoiding smooth, glossy finishes on bar pulls. Wear and damage appear more readily on glossy or matte finishes.

DIMENSIONS + DETAILS

BAR PULL DIMENSIONS

Thickness and Diameter

Handle wall thickness	$\frac{1}{16}$ " (2mm)
Handle diameter	1" (25mm)
Mounting stems (at top and bottom of handle)	$\frac{3}{4}$ " (19mm)

12" Handle (Short Handle)

Dimension A	12" (305mm)
Dimension B	6" (152mm)
Dimension C	3" (76mm)

30" Handle (Medium Handle)

Dimension A	30" (762mm)
Dimension B	24" (610mm)
Dimension C	3" (76mm)


72" Handle (Long Handle)

Dimension A	72" (1829mm)
Dimension B	56" (1422mm)
Dimension C	8" (203mm)

***NOTE:** See dimensions A, B and C on the attached plan view diagram on the next page.

BACK-TO-BACK BAR PULL HANDLE DIMENSIONS

PLAN VIEW
NOT TO SCALE





BACK-TO-BACK BAR PULL DIMENSIONS

FRONT AND SIDE PLAN VIEW

NOT TO SCALE

